

1

SMALL ARMS



MAKİNE VE KİMYA
ENDÜSTRİSİ







SMALL ARMS

4-5	MPT-76MH	AUTOMATIC INFANTRY RIFLE	32	KNT-76	SEMI-AUTOMATIC SNIPER RIFLE
6	MPT-76	AUTOMATIC INFANTRY RIFLE	33	KNT-76J	SEMI-AUTOMATIC SNIPER RIFLE
7	KAAN 717	AUTOMATIC INFANTRY RIFLE	34	KNT-76 A1	SEMI-AUTOMATIC SNIPER RIFLE
8	G3	AUTOMATIC INFANTRY RIFLE	35	KNT-589	SEMI-AUTOMATIC SNIPER RIFLE
9	MKE-739 A1	AUTOMATIC INFANTRY RIFLE	36	BORA-12	SNIPER RIFLE
10	MKE-739K A1	AUTOMATIC INFANTRY RIFLE	37	BORA-12 A1	SNIPER RIFLE
11	MKE-739M A1	AUTOMATIC INFANTRY RIFLE	40	KN-12	MULTI-CALIBER SNIPER RIFLE
13	MPT55	AUTOMATIC INFANTRY RIFLE	41	MKE-408	SNIPER RIFLE
14	MPT55K	AUTOMATIC INFANTRY RIFLE	44	MAM-15	ANTI-MATERIAL SNIPER RIFLE
15	TLS-571	AUTOMATIC INFANTRY RIFLE	48	MMT-76	MODERN MACHINE GUN
18	MPT-55K1 A1	AUTOMATIC INFANTRY RIFLE	50	PMT-76/57A	GENERAL PURPOSE MACHINE GUN
19	MPT-55K2 A1	AUTOMATIC INFANTRY RIFLE	51	PMT-76T/57A	GENERAL PURPOSE MACHINE GUN
20	MPT-55C A1	AUTOMATIC INFANTRY RIFLE	52	PMT-76Z/57A	GENERAL PURPOSE MACHINE GUN
21	MPT-55M A1	AUTOMATIC INFANTRY RIFLE	53	MT12-QCB	MACHINE GUN
24	HK-33E	AUTOMATIC INFANTRY RIFLE	56	ST2-T-40 G3	GRENADE LAUNCHER
25	T-50	AUTOMATIC INFANTRY RIFLE	57	ST5-T-40 HK-33 E	GRENADE LAUNCHER
26	MOT-919	SUBMACHINE GUN	58	MKE 40GL	GRENADE LAUNCHER
27	MOT-919C	SUBMACHINE GUN	60	40 MM	MULTIPLE GRENADE LAUNCHER
30	MP5 A3	SUBMACHINE GUN	61	OBA	AUTOMATIC GRENADE LAUNCHER
31	MP5-K	SUBMACHINE GUN			



ABOUT US

Our wide range of automatic rifles, machine guns, and sniper rifles in various calibers are actively used by the Turkish Armed Forces and allied military units.

Operating since 1939, our Light Weapons Factory possesses the experience and technological infrastructure to take swift action in line with feedback and operational needs from end users.



7.62 MM X 51

MPT- 76MH

AUTOMATIC INFANTRY RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	7.62 mm X 51 NATO
Barrel Length	406 mm (16 ")
Weapon Length	Buttstock Open: 1000 mm) Buttstock Closed: 900 mm)
Weapon Weight (Without Magazine/Accessories)	3750 g
Type of Fire	Semi/Full Auto
Accuracy	4 MOA
Groove	6 (Right)
Effective Range	600 m
Sensitivity	20 / 30 Newton
Buttstock	Adjustable (Telescopic), 100 mm, 5 stages
Barrel Life	12000 shot
Muzzle Velocity	800 m / s
Rate of Fire	700 ± 100 Rds/min
Magazine Capacity	20



7.62 MM X 51

MPT-76

AUTOMATIC INFANTRY RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	7.62 mm X 51 NATO
Barrel Length	406 mm (16 ")
Weapon Length	1000 mm 900 mm
Weapon Weight (Without Magazine/Accessories)	4200 g
Type of Fire	Semi/Full Auto
Accuracy	4 MOA
Groove	6 (Right)
Effective Range	600 m
Sensitivity	20 / 30 Newton
Buttstock	Adjustable (Telescopic), 100 mm, 12 stages
Barrel Life	12000 shot
Muzzle Velocity	800 m / s
Magazine Capacity	20

7.62 MM X 51

KAAN 717

AUTOMATIC INFANTRY RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	7.62 mm X 51 NATO
Barrel Length	315 mm (12.4 ")
Weapon Length	Buttstock Open: 910 mm) Buttstock Closed: 810 mm)
Weapon Weight (Without Magazine/Accessories)	3600 g
Type of Fire	Semi/Full Auto
Accuracy	4 MOA
Groove	6 (Right)
Effective Range	400 m
Sensitivity	20 / 30 Newton
Buttstock	Adjustable (Telescopic)
Barrel Life	12000 shot
Rate of Fire	700 ± 100 Rds/min
Magazine Capacity	20



7.62 MM X 51

G3

AUTOMATIC INFANTRY RIFLE



Working Principle	Roller- Lock Delayed Blowback Action
Caliber	7.62 mm X 51 NATO
Barrel Length	450 mm (17.7 ")
Weapon Length	A3: 1020 mm A4: 835 / 1015 mm
Weapon Weight (Without Magazine/Accessories)	A3: 4250 g A4: 4700 g
Type of Fire	Semi/Full Auto
Groove	4 (Right)
Effective Range	400 m
Buttstock	A3 Fixed A4 Adjustable
Muzzle Velocity	800 m/s
Rate of Fire	620 ± 100 Rds/min
Magazine Capacity	20

7.62 MM X 39

MKE-739 A1

AUTOMATIC INFANTRY RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	7.62 mm X 39
Barrel Length	406.4 mm (16 ")
Weapon Length	Buttstock Open: 966 mm) Buttstock Closed: 886 mm)
Weapon Weight (Without Magazine/Accessories)	3600 ± 100 g
Type of Fire	Semi/Full Auto
Accuracy	4 MOA
Groove	4 (Right)
Effective Range	400 m
Sensitivity	20 / 30 Newton
Buttstock	Adjustable (Telescopic), 4 stages, 80 mm
Barrel Life	12000 shot
Muzzle Velocity	700 m/s
Rate of Fire	750 ± 100 Rds/min
Magazine Capacity	30



7.62 MM X 39

MKE-739K A1

AUTOMATIC INFANTRY RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	7.62 mm X 39
Barrel Length	368.3 mm (14.5 ")
Weapon Length	Buttstock Open: 940 mm) Buttstock Closed: 850 mm)
Weapon Weight (Without Magazine/Accessories)	3500 ± 100 g
Type of Fire	Semi/Full Auto
Accuracy	4 MOA
Groove	4 (Right)
Effective Range	300 m
Sensitivity	20 / 30 Newton
Buttstock	Adjustable (Telescopic)
Barrel Life	12000 shot
Muzzle Velocity	680 m/s
Rate of Fire	750 ± 100 Rds/min
Magazine Capacity	30

7.62 MM X 39

MKE-739M A1

AUTOMATIC INFANTRY RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	7.62 mm X 39
Barrel Length	279.4 mm (11 ")
Weapon Length	Buttstock Open: 860 mm) Buttstock Closed: 770 mm)
Weapon Weight (Without Magazine/Accessories)	3300 ± 100 g
Type of Fire	Semi/Full Auto
Accuracy	4 MOA
Groove	4 (Right)
Effective Range	200 m
Sensitivity	20 / 30 Newton
Buttstock	Adjustable (Telescopic)
Barrel Life	12000 shot
Muzzle Velocity	640 m/s
Rate of Fire	750 ± 100 Rds/min
Magazine Capacity	30






5.56 MM X 45

MPT-55

AUTOMATIC INFANTRY RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	5.56 mm X 45 NATO
Barrel Length	368.5 mm (14.5 ")
Weapon Length	Buttstock Open: 884 mm) Buttstock Closed: 800 mm)
Weapon Weight (Without Magazine/Accessories)	3300 g
Type of Fire	Semi/ Full Auto
Accuracy	4 MOA
Groove	6 (Right)
Effective Range	400 m
Sensitivity	20 / 30 Newton
Buttstock	84 mm, 6 Stages, Adjustable (Telescopic)
Barrel Life	12000 shot
Muzzle Velocity	850 m/s
Rate of Fire	800 ± 100 Rds/min
Magazine Capacity	30



5.56 MM X 45

MPT-55K

AUTOMATIC INFANTRY RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	5.56 mm X 45 NATO
Barrel Length	279.4 mm (11 ")
Weapon Length	Buttstock Open: 814 mm) Buttstock Closed: 730 mm)
Weapon Weight (Without Magazine/Accessories)	3000 g
Type of Fire	Semi/ Full Auto
Accuracy	4 MOA
Groove	6 (Right)
Effective Range	350 m
Sensitivity	20 / 30 Newton
Buttstock	84 mm, 6 Stages, Adjustable (Telescopic)
Barrel Life	12000 shot
Muzzle Velocity	800 m/s
Rate of Fire	800 ± 100 Rds/min
Magazine Capacity	30

5.56 MM X 45

TLS-571

AUTOMATIC INFANTRY RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	5.56 mm X 45 NATO
Barrel Length	177.8 mm (7")
Weapon Length	Buttstock Open: 720 mm Buttstock Closed: 630 mm
Weapon Weight (Without Magazine/Accessories)	2750 g
Type of Fire	Semi/ Full Auto
Accuracy	4 MOA
Groove	6 (Right)
Effective Range	200 m
Sensitivity	20 / 30 Newton
Buttstock	84 mm, 6 Stage, Adjustable (Telescopic)
Barrel Life	12000 shot
Muzzle Velocity	690 m/s
Rate of Fire	800 ± 100 Rds/min
Magazine Capacity	30







5.56 MM X 45

MPT-55K1 A1

AUTOMATIC INFANTRY RIFLE



Front sight on the handguard.



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	5.56 mm X 45 NATO
Barrel Length	279.4 mm (11 ")
Weapon Length	Buttstock Open: 818 mm Buttstock Closed: 734 mm)
Weapon Weight (Without Magazine/Accessories)	3000 g
Type of Fire	Semi/ Full Auto
Accuracy	4 MOA
Groove	6 (Right)
Effective Range	350 m
Sensitivity	20 / 30 Newton
Buttstock	Adjustable (Telescopic)
Barrel Life	12000 shot
Muzzle Velocity	800 m/s
Rate of Fire	800 ± 100 Rds/min
Magazine Capacity	30

5.56 MM X 45

MPT-55K2 A1

AUTOMATIC INFANTRY RIFLE



Front sight on the barrel.



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	5.56 mm X 45 NATO
Barrel Length	279.4 mm (11 ")
Weapon Length	Buttstock Open: 818 mm Buttstock Closed: 734 mm)
Weapon Weight (Without Magazine/Accessories)	3000 g
Type of Fire	Semi/ Full Auto
Accuracy	4 MOA
Groove	6 (Right)
Effective Range	350 m
Sensitivity	20 / 30 Newton
Buttstock	Adjustable (Telescopic)
Barrel Life	12000 shot
Muzzle Velocity	800 m/s
Rate of Fire	800 ± 100 Rds/min
Magazine Capacity	30



5.56 MM X 45

MPT-55C A1

AUTOMATIC INFANTRY RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	5.56 mm X 45 NATO
Barrel Length	228.6 mm (9 ")
Weapon Length	Buttstock Open: 768 mm Buttstock Closed: 684 mm)
Weapon Weight (Without Magazine/Accessories)	2900 g
Type of Fire	Semi/ Full Auto
Accuracy	4 MOA
Groove	6 (Right)
Effective Range	300 m
Sensitivity	20 / 30 Newton
Buttstock	Adjustable (Telescopic)
Barrel Life	12000 shot
Muzzle Velocity	770 m/s
Rate of Fire	800 ± 100 Rds/min
Magazine Capacity	30



5.56 MM X 45

MPT-55M A1

AUTOMATIC INFANTRY RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	5.56 mm X 45 NATO
Barrel Length	190.5 mm (7,5 ")
Weapon Length	Buttstock Open: 730 mm Buttstock Closed: 646 mm)
Weapon Weight (Without Magazine/Accessories)	2700 g
Type of Fire	Semi/ Full Auto
Accuracy	4 MOA
Groove	6 (Right)
Effective Range	200 m
Sensitivity	20 / 30 Newton
Buttstock	Adjustable (Telescopic)
Barrel Life	12000 shot
Muzzle Velocity	710 m/s
Rate of Fire	800 ± 100 Rds/min
Magazine Capacity	30





5.56 MM X 45

HK-33E

AUTOMATIC INFANTRY RIFLE



Working Principle	Roller- Lock Delayed Blowback Action
Caliber	5.56 mm X 45 NATO
Barrel Length	390 mm (15.35 “)
Weapon Length	A2 920 mm A3 740 / 920 mm
Weapon Weight (Without Magazine/Accessories)	A2 3900 g A3 4000 g
Type of Fire	Semi/ Full Auto/ Triple
Accuracy	4 MOA
Groove	6 (Right)
Effective Range	400 m
Buttstock	A2 Fixed A3 Adjustable
Muzzle Velocity	890 m/s
Rate of Fire	750±100
Magazine Capacity	30

5.56 MM X 45

T-50

AUTOMATIC INFANTRY RIFLE



Working Principle	Roller- Lock Delayed Blowback Action
Caliber	5.56 mm X 45 NATO
Barrel Length	400 mm (15.75 “)
Weapon Length	Buttstock Open: 920 mm Buttstock Closed: 720 mm
Weapon Weight (Without Magazine/Accessories)	3900 g
Type of Fire	Semi/ Full Automatic
Accuracy	4 MOA
Groove	6 (Right)
Effective Range	400 m
Buttstock	Adjustable (Telescopic)
Muzzle Velocity	890 m/s
Magazine Capacity	30



9 MM X 19 PARABELLUM

MOT-919

SUBMACHINE GUN



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	9 mm X 19 Parabellum
Barrel Length	225.3 mm (~9 ")
Weapon Length	Buttstock Open: 774 mm Buttstock Closed: 690 mm
Weapon Weight (Without Magazine/Accessories)	2830 g
Type of Fire	Semi/ Full Auto
Accuracy	6 MOA
Groove	6 (Right)
Effective Range	100 m
Sensitivity	20 / 30 Newton
Buttstock	Adjustable (Telescopic and Foldable) 6 stages / 84 mm
Barrel Life	12000 shot
Rate of Fire	900 Rds/min
Magazine Capacity	30

9 MM X 19 PARABELLUM

MOT-919C

SUBMACHINE GUN



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	9 mm X 19 Parabellum
Barrel Length	147.8 mm (~6 ")
Weapon Length	390 mm
Weapon Weight (Without Magazine/Accessories)	2050 g
Type of Fire	Semi/ Full Auto
Accuracy	6 MOA
Groove	6 (Right)
Effective Range	50 m
Sensitivity	20 / 30 Newton
Barrel Life	12000 shot
Rate of Fire	900 Rds/min
Magazine Capacity	30





9 MM X 19 PARABELLUM

MP5 A3

SUBMACHINE GUN



Working Principle	Roller-Lock Delayed Blowback Action
Calibre	9 mm X 19 Parabellum
Barrel Length	225 mm (8.86 ")
Weapon Length	A2 710 mm A3 490 / 660 +S5:U5mm
Weapon Weight (Without Magazine/Accessories)	A2 3025 g A3 2800 g
Type of Fire	Semi/ Full Auto
Groove	6 (Right)
Effective Range	100 m
Buttstock	A2 Fixed A3 Adjustable
Barrel Life	12000 shot
Muzzle Velocity	380 m/s
Rate of Fire	800 ± 100 Rds/min
Magazine Capacity	30

9 MM X 19 PARABELLUM

MP5-K

SUBMACHINE GUN



Working Principle	Roller-Lock Delayed Blowback Action
Calibre	9 mm X 19 Parabellum
Barrel Length	115.6 mm (4.55 ")
Weapon Length	325 mm
Weapon Weight (Without Magazine/Accessories)	2000 g
Type of Fire	Semi/ Full Auto
Groove	6 (Right)
Rate of Fire	900 ± 100 Rds/min
Magazine Capacity	30



7.62 MM X 51

KNT-76

SEMI-AUTOMATIC
SNIPER RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	7.62 mm X 51
Barrel Length	508 mm (20 ")
Weapon Length	Buttstock Open: 1110 mm Buttstock Closed: 1030 mm)
Weapon Weight (Without Magazine/Accessories)	5000 g
Type of Fire	Semi Auto
Accuracy	1.5 MOA
Groove	4 (Right)
Effective Range	800 m
Sensitivity	15-25 newton
Buttstock	Adjustable (Telescopic)
Muzzle Velocity	780 m/s (MKE M118)
Twist Rate	1/12"
Magazine Capacity	10/20

7.62 MM X 51

KNT-76J

SEMI-AUTOMATIC
SNIPER RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	7.62 mm X 51
Barrel Length	508 mm (20 ")
Weapon Length	Buttstock Open: 1110 mm Buttstock Closed: 1030 mm)
Weapon Weight (Without Magazine/Accessories)	5000 g
Type of Fire	Semi Auto
Accuracy	1.5 MOA
Groove	4 (Right)
Effective Range	800 m
Sensitivity	15-25 newton
Buttstock	Adjustable (Telescopic)
Muzzle Velocity	780 m/s (MKE M118)
Twist Rate	1/12"
Magazine Capacity	10/20



7.62 MM X 51

KNT-76 A1

SEMI-AUTOMATIC
SNIPER RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	7.62 mm X 51
Barrel Length	508 mm (20 ")
Weapon Length	Buttstock Open: 1115 mm Buttstock Closed: 1065 mm)
Weapon Weight (Without Magazine/Accessories)	5200 g
Type of Fire	Semi Auto
Accuracy	1.5 MOA
Groove	4 (Right)
Effective Range	800 m
Sensitivity	15-25 newton
Buttstock	Adjustable (Telescopic)
Muzzle Velocity	780 m/s (MKE M118)
Twist Rate	1/12"
Magazine Capacity	10

8.59 MM X 70

KNT-859

SEMI-AUTOMATIC
SNIPER RIFLE



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	8.59 mm X 70
Barrel Length	686 mm (27 ")
Weapon Length	1325 mm
Weapon Weight (Without Magazine/Accessories)	7200 g
Type of Fire	Semi Auto
Accuracy	1 MOA
Groove	6 (Right)
Effective Range	1500 m
Sensitivity	15-25 newton
Buttstock	Adjustable (Telescopic)
Barrel Life	4000 shot
Twist Rate	1/10"
Muzzle Velocity	890 m/s



7.62 MM X 51
BORA-12
SNIPER RIFLE



Working Principle	Bolt Action
Caliber	7.62 mm X 51 NATO (.308cal Win.)
Barrel Length	660 mm (26")
Weapon Length	Buttstock Open: 1265 mm Buttstock Closed: 1220mm
Weapon Weight (Without Magazine/Accessories)	6400 g
Type of Fire	Single
Accuracy	1 MOA
Groove	4 (Right)
Effective Range	1000 m
Sensitivity	15 / 25 Newton, (Adjustable)
Buttstock	The buttstock is foldable and has buttstock base adjustment (forward-backward-up-downward) and cheek adjustment
Muzzle Velocity	810 m/s (MKE M118)
Twist Rate	1/12"
Magazine Capacity	10

7.62 MM X 51
BORA-12 A1
SNIPER RIFLE



Working Principle	Bolt Action
Caliber	7.62 mm X 51 NATO (.308cal Win.)
Barrel Length	660 mm (26")
Weapon Length	Buttstock Open: 1220 mm Buttstock Closed: 1020 mm
Weapon Weight (Without Magazine/Accessories)	6500 g
Type of Fire	Single
Accuracy	1 MOA
Groove	4 (Right)
Effective Range	1000 m
Sensitivity	15 / 25 Newton, (Adjustable)
Buttstock	The buttstock is foldable and has buttstock base adjustment (forward-backward-up-downward) and cheek adjustment
Muzzle Velocity	810 m/s (MKE M118)
Twist Rate	1/12"
Magazine Capacity	10





8.59 MM X 70
7.62 MM X 51 NATO

KN-12

MULTI-CALIBER
SNIPER RIFLE



	8.59 MM X 70 MM	7.62 MM X 51 NATO
Working Principle	Bolt Action	
Caliber	8.59 mm X 70 (.338cal LM)	7.62 mm X 51 NATO (.308cal Win.)
Barrel Length	686 mm (27") (8,59)	660 mm (26") (7,62)
Weapon Length	Buttstock Open: 1278 mm	Buttstock Closed: 1023 mm
Weapon Weight (Without Magazine/Accessories)	7200 g	
Type of Fire	Single	
Accuracy	1 MOA	
Groove	6 Right (.338cal LM)	4 Right (.308cal Win.)
Effective Range	8,59 barrel=1500 m	7,62 barrel=1000 m
Sensitivity	15 / 25 Newton, (Adjustable)	
Buttstock	The buttstock is foldable and has buttstock base adjustment (forward-backward-up-downward) and cheek adjustment	
Magazine Capacity	5	10

10.36 MM X 77

MKE-408

SNIPER RIFLE



Working Principle	Bolt Action
Caliber	10.36 mm X 77
Barrel Length	736.6 mm (29")
Weapon Length	Buttstock Open: 1410 mm Buttstock Closed: 1120 mm
Weapon Weight (Without Magazine/Accessories)	9500 g
Type of Fire	Single
Accuracy	1 MOA
Groove	8 (Right)
Effective Range	2200 m
Sensitivity	15 / 25 Newton, (Adjustable)
Buttstock	The buttstock is foldable and has buttstock base adjustment (forward-backward-up-downward) and cheek adjustment
Magazine Capacity	5





12.7 MM X 99 NATO

MAM-15

ANTI-MATERIAL
SNIPER RIFLE



Working Principle	Bolt Action
Caliber	12.7 mm X 99 NATO (.50cal)
Barrel Length	736.6 mm (29")
Weapon Length	Buttstock Open: 1475 mm Buttstock Closed: 1208 mm
Weapon Weight (Without Magazine/Accessories)	12500 g
Type of Fire	Single
Accuracy	1 MOA
Groove	8 (Right)
Effective Range	1800 m
Sensitivity	15 / 25 Newton, (Adjustable)
Buttstock	The buttstock is foldable and has buttstock base adjustment (forward-backward-up-downward) and cheek adjustment
Magazine Capacity	5





7.62 MM X 51 NATO

MMT-76

MODERN MACHINE GUN



Working Principle	Gas Operated Short Stroke Piston, Rotating Bolt
Caliber	7.62 X 51 mm NATO
Barrel Length	604,5 mm
Weapon Length	Buttstock Open: 1240 mm Buttstock Closed: 1155 mm
Weapon Weight (Without Magazine/Accessories)	8000 g
Type of Fire	Full Automatic
Accuracy	8 MOA
Groove	4 (Right)
Effective Range	1000 m
Sensitivity	15-30 Newton
Buttstock	Adjustable (Telescopic), 84 mm, 6 stages
Barrel Life	12500 shot
Muzzle Velocity	860 m/s
Magazine Capacity	Right Belt Fed





7.62 MM X 51 NATO
PMT-76/57A
GENERAL PURPOSE
MACHINE GUN



Working Principle	Gas Operated, Open Breech Linear Motion Mechanism
Caliber	7.62 mm X 51
Barrel Length	547 mm (21.5 “)
Weapon Length	1250 mm
Weapon Weight (Without Magazine/Accessories)	12000 g
Type of Fire	Full Automatic
Accuracy	6 MOA
Groove	4 (Right)
Effective Range	800 m
Sensitivity	40-70 Newton
Buttstock	Fixed
Barrel Life	22000 shot
Muzzle Velocity	840 m/s
Magazine Capacity	Left M13 Belt Fed

7.62 MM X 51 NATO
PMT-76T/57A
GENERAL PURPOSE
MACHINE GUN



Working Principle	Gas Operated, Open Breech Linear Motion Mechanism
Caliber	7.62 mm X 51
Barrel Length	547 mm (21.5 “)
Weapon Length	1100 mm
Weapon Weight (Without Magazine/Accessories)	12000 g
Type of Fire	Full Automatic
Accuracy	6 MOA
Groove	4 (Right)
Effective Range	800 m
Sensitivity	40-70 Newton
Buttstock	Fixed
Barrel Life	22000 shot
Muzzle Velocity	840 m/s
Magazine Capacity	Left M13 Belt Fed



7.62 MM X 51 NATO

PMT-76Z/57A

GENERAL PURPOSE
MACHINE GUN



Working Principle	Gas Operated, Open Breech Linear Motion Mechanism
Caliber	7.62 mm X 51
Barrel Length	547 mm (21.5 “)
Weapon Length	1250 mm
Weapon Weight (Without Magazine/Accessories)	11500 g
Type of Fire	Full Automatic
Accuracy	6 MOA
Groove	4 (Right)
Effective Range	800 m
Sensitivity	40-70 Newton
Buttstock	Fixed
Barrel Life	22000 shot
Muzzle Velocity	840 m/s
Magazine Capacity	Left M13 Belt Fed

12.7 MM X 99

MT12-QCB

MACHINE GUN



Working Principle	Belt-Feed, Short-Recoil, Air-Cooled
Caliber	12.7 mm X 99
Firing Mode	Single / Automatic
Feed Type and Direction	Manual, Right/Left
Weight – Barrel Weight	38 kg – 12 kg
Length – Barrel Length	1656 mm – 1143 mm
Muzzle Exit Velocity	890±50 m/s
Effective Range–Maximum Range	1800 m – 6500 m
Rate Of Fire	450-650 rounds/min
Barrel Type	QCB Chrome Plated
Grooves	8
Recoil Force	9 kN





40 MM

ST2-T40 G3

GRENADE LAUNCHER



Working Principle	Manual
Caliber	40 mm X 46
Barrel Length	305 mm (12")
Weapon Length	398 mm
Weapon Weight (Without Magazine/Accessories)	1750 g
Type of Fire	Single
Groove	6 (Right)
Effective Range	350 m
Sensitivity	50-70 newton
Barrel Life	1000 shot
Muzzle Velocity	75 m/s

40 MM

ST5-T40 HK33E

GRENADE LAUNCHER



Working Principle	Manual
Caliber	40 mm X 46
Barrel Length	305 mm (12")
Weapon Length	398 mm
Weapon Weight (Without Magazine/Accessories)	1750 g
Type of Fire	Single
Groove	6 (Right)
Effective Range	350 m
Sensitivity	50-70 newton
Barrel Life	1000 shot
Muzzle Velocity	75 m/s



40 MM

MKE 40GL

GRENADE LAUNCHER



Working Principle	Manual
Caliber	40 mm X 46
Barrel Length	229 mm (9")
Weapon Length	Unassembled and without stock: 292 mm Unassembled and close stock : 380 mm Unassembled and with open stock: 520 mm
Weapon Weight (Without Magazine/Accessories)	Stock and Hand grip attached :~2200 g (Aluminum Barrel) Stock and Hand grip attached :~2650 g (Steel Barrel) Without Stock and hand grip : 1600 g (Aluminum Barrel) Without Stock and hand grip : 1600 g (Stee Barrel)
Type of Fire	Single
Groove	6 (Right)
Effective Range	350 m
Sensitivity	50-70 newton
Buttstock	Adjustable (Telescopic)
Barrel Life	1000 shot
Muzzle Velocity	75 m/s



40 MM
40 MM

MULTIPLE GRENADE
LAUNCHER



Barrel Diameter	40 mm
Type	Multi Shot Revolver
Firing Method	Semi Automatic
Weight, Unloaded	6750 g
Over All Length, Butt Extended	844±5 mm
Over All Length, Butt Retracted	760±5 mm
Barrel Length	300 mm
Groove	6 (Right)
Cylinder Lenght	140 mm
Rate of Fire	Max. 10 second/ 6 round
Muzzle Velocity	76m/s
Effective Range	375 m
Buttstock	Removable



40 MM
OBA

AUTOMATIC
GRENADE LAUNCHER



Barrel Diameter	40 mm
Weight	66 kg
Length	1097 mm
Width	340 mm
Height	225 mm
Rate of Fire	325-375 shots/min
Muzzle Velocity	242 m/s
Max. Range	2200 m
Max. Effective Range	1500 m
Barrel Length – Groove Set	414 mm - 24







EMNİYET MAHALLESİ DÖĞOL CAD. NO: 2 ANADOLU MEYDANI 06560 ANKARA/TÜRKİYE
TEL: +90 312 296 10 00 • FAKS: 0312 296 16 99 • EXPORT@MKE.GOV.TR